# LIST OF CONTENTS

## NUMBER 1


| | | |
|---|---|---|
| **Driss Elothmani, Georges Le Guillanton et Jacques Simonet** | 1 | Polymérisation anodique des amines aromatiques—I. Comportement particulier de la diphenylamine en milieu organique fortement acide à haut potentiel |
| **J. L. Acosta, E. Morales, M. Paleo and J. R. Jurado** | 13 | Polymeric composites based on vanadium oxides as cathodes for rechargeable lithium batteries—I. Microstructural and electrical characterization |
| **Maïté Guillaume and Bernard Sebille** | 19 | Study of a polymer immobilized on silica gel as stationary phase for chiral liquid chromatography |
| **Jean Luc Gineste, Christophe Largueze and Gerald Pourcelly** | 27 | Synthesis and characterization of polymer film obtained by grafting of acrylic monomer onto radioperoxided poly(ethylene-tetrafluoroethylene) copolymer in the presence of polyfunctional monomers. Stability in basic solutions |
| **E. Sheng, I. Sutherland, R. H. Bradley and P. K. Freakley** | 35 | Effects of a multifunctional additive on bound rubber in carbon black and silica filled natural rubbers |
| **Franco Cataldo** | 43 | On the polymerization of *p*-phenylenediamine |
| **Paresh Chandra Ray and Puspendu Kumar Das** | 51 | Influence of poling methods on the orientational dynamics of 2-methyl-4-nitro-aniline in poly(methyl methacrylate) studied by second harmonic generation |
| **H. F. Zhang, B. Q. Yang and Z. S. Mo** | 57 | Small angle X-ray scattering study of structural parameters of the aggregated state in polyamide 1010 + BMI |
| **I. I. Vointseva, L. M. Gilman, Yu. P. Kudryavtsev, S. E. Evsyukov, L. A. Pesin, I. V. Gribov, N. A. Moskvina and V. V. Khvostov** | 61 | Chemical dehydrochlorination of polytrichlorobutadienes—a new route to carbynes |
| **Christian Carrot and Vincent Verney** | 69 | Determination of a discrete relaxation spectrum from dynamic experimental data using the Padé–Laplace method |
| **Abraham Varghese, K. J. Scariah, S. C. Bera, M. Rama Rao and K. S. Sastri** | 79 | Processability characteristics of hydroxy terminated polybutadienes |
| **Asfia Qureshi, Carl H. Schiesser and David H. Solomon** | 85 | Investigations into free radical polymerizations of allyl carbonates—II. An MNDO study of hydrogen atom abstraction by hydroxyl radical |
| **Wen-Bing Liu, Wen-Faa Kuo, Chih-Jung Chiang and Feng-Chih Chang** | 91 | *In situ* compatibilization of PBT/PPO blends |
| **Soon Hong Yuk, Sun Hang Cho, Byung Chunl Shin and Hai Bang Lee** | 101 | A novel semi-interpenetrating networks system as an absorbent material |
| **S. Thamizharasi, P. Gnanasundaram, K. Venkata Rao and A. Venkata Rami Reddy** | 105 | Copolymers of 4-nitrophenyl acrylate with styrene: Synthesis, characterization and monomer reactivity ratios |
| **M. Abdel Azzem, U. S. Yousef and G. Pierre** | 111 | Electrolytically initiated p-chloro-α-methylstyrene polymerization |
| **Ö. Pekcan** | 117 | Fluorescence lifetime distributions: Applications to high and low viscosity media in polymer blend-like particles |

**M. Zamora, M. Strumia and H. E. Bertorello** 125 A study of the chelation behavior of heavy metal ions using a new synthetic support: PAS-GLUT

**Lubomír Šimek and Miloslav Bohdanecký** 129 Volumetric properties of aqueous solutions of triblock (PEP) copolymers of ethylene oxide and propylene oxide

## NUMBER 2

**C. Alfiguigui, B. Améduri, J. M. Bessière and B. Boutevin** 135 Investigations in the competition of the cleavage of the C–Cl bond of a telogen that exhibits both trichloromethyl and dichloromethylene groups for the redox telomerization of methylmethacrylate and ethylacrylate

**Y. Geerts, S. Gillard and G. Geuskens** 143 Morphology and permeability of polymer blends—I. Crosslinked EPDM–silicone blends

**Bernard Gallot and Florence Monnet** 147 Thermotropic liquid-crystalline comb-like polymers with polyacrylamide main chain—1. Synthesis and mesomorphic structures of polymers with lipobiphenyl side chains

**P. Citovický, V. Chrástová and M. Földesová** 153 The copolymerization of styrene and maleic anhydride initiated by peroxides of isotactic polypropylene

**Bernard Boutevin, Bachar Hamoui, Jean-Pierre Parisi and Bruno Améduri** 159 Homopolymerization and copolymerization of salt formed from a new diethyl styrenic phosphonate monomer

**Premamoy Ghosh and Debaprasad Dev** 165 Graft copolymerization of mixtures of acrylamide and methyl methacrylate on dialdehyde cellulose (DAC) from cotton in a limited aqueous system

**Takashi Sasaki, Tomoya Tojima and Toshisada Takahashi** 173 Temperature dependence of the density fluctuations of poly(vinyl acetate) in the glassy state studied by X-ray thermal diffuse scattering

**Gaurab Das, Amar Nath Banerjee and B. C. Mitra** 179 A DSC study of poly(styrene-co-acrylonitrile) and poly(vinyl chloride-co-vinyl acetate) blends produced using different blending techniques

**K. Guemra, A. Mansri, P. F. Casals et J. P. Monthéard** 185 Photodégradabilité de polycétones linéaires diversement substituées par des groupes phényle

**Ahmed Kessat and André Babadjamian** 193 Synthesis of insoluble polymer-supported thiazoles and use of 2-methyl-4-poly(styrylmethyl) thiazolium hydrotribromide as a new brominating reagent

**D. Ruckert and G. Geuskens** 201 Surface modification of polymers—IV. Grafting of acrylamide via an unexpected mechanism using a water soluble photo-initiator

**N. Jocheska, G. Petrov, A. Janevski et A. Sebenik** 209 Étude cinétique de réaction de polymérisation de l'acrylonitrile dans des solutions aqueuses de NaSCN amorcée par $Mn(C_5H_7O_2)_2$ NCS

**Der-Jang Liaw, Hao-Hsien Chiang, Bing-Hung Jin and En-Tang Kang** 215 Metathesis copolymerization of norbornene with *tert*-butylacetylene initiated by a tungsten carbene complex

**Madalena C. Forte and Fernanda M. B. Coutinho** 223 Highly active magnesium chloride supported Ziegler–Natta catalysts with contolled morphology

Contents


**Ryuichiro Yoda, Shigeru Komatsuzaki and Toshio Hayashi** 233 Membrane properties of A–B–A type block copolymer consisting of poly($\gamma$-benzyl-L-glutamate) as the A component and polyisoprene as the B component

**Barry Thomson, Kevin Suddaby, Alfred Rudin and Gilles Lajoie** 239 Characterisation of low molecular weight polymers using matrix assisted laser desorption time-of-flight mass spectrometry

**F. Fernandez-Nograro, A. Valea, R. Llano-Ponte and I. Mondragon** 257 Dynamic and mechanical properties of DGEBA/poly(propylene oxide) amine based epoxy resins as a function of stoichiometry

*Short Communication*
**A. Varada Rajulu and P. Mabu Sab** 267 Ultrasonic studies of water/poly(ethylene glycol) mixtures

**Announcements** I


## NUMBER 3


**A. Mansri, P. F. Casals, A. Oulmidi, K. Guemra et D. Reyx** 269 Nouveaux polymères styréniques à chaînes latérales céto-énol—I. Synthèse et (co)polymérisations de β-dicétones monomères

**A. Mansri, P. F. Casals, A. Oulmidi, K. Guemra et D. Reyx** 277 Nouveaux polymères styréniques à chaînes latérales céto-énol—II. Synthèse et polymérisation de $\beta$–$\beta$-tricétones monomères

**Manjunath Kamath and Braja K. Mandal** 285 Crosslinked copolymers of cyanoethylated cellulose

**J. R. Ebdon and N. J. Flint** 289 Preparation of $\alpha,\omega$-aldehyde-ended telechelic methyl methacrylate oligomers by the oxidative cleavage of statistical methyl methacrylate-buta-1,3-diene copolymers

**J. M. G. Cowie and H. W. Hunter** 295 Comb-branch chiral liquid crystalline polymers—IV. Copolymers of (S)-2-[2-(4′-methoxy-4-biphenyl-oxy)-1-methyl ethoxy] ethyl methacrylate and a non chiral mesogen based on itaconic acid

**Qi Wang, Jun Gao and Yuqin Qian** 299 A study on ionic conductivity of a new polymer solid electrolyte

**E. Favre, Q. T. Nguyen, R. Clement and J. Neel** 303 Application of Flory–Huggins theory to ternary polymer–solvents equilibria: a case study

**F. E. Okieimen and D. E. Ogbeifun** 311 Graft copolymerizations of modified cellulose: grafting of methyl acrylate, ethyl acrylate and ethyl methacrylate on carboxy methyl cellulose

**Petr Sysel, Věra Konečná and Karel Volka** 317 Structure-curing relation for polyamic acids

**Qipeng Guo, Jinyu Huang and Xiaoqing Li** 321 Miscibility of poly(vinyl methyl ketone) with poly(2-hydroxyethyl methacrylate) and poly(epichlorohydrin)

**M. Bankova, Ts. Petrova, N. Manolova and I. Rashkov** 325 5-Chloro-8-quinolinyl acrylate and *N*-vinyl-2-pyrrolidone copolymers: synthesis, characterization and complexes with poly(methacrylic acid)

**Mari Eskelinen and Jukka V. Seppälä** 331 Effect of polymerization temperature on the polymerization of ethylene with dicyclopentadienylzirconiumdichloride/methylalumoxane catalyst

**Bernard Boutevin et Abderrahim El Bachiri** 337 Copolymérisation des éthers allyliques à extrémité époxyde avec des monomères porteurs de groupes accepteurs d'électrons—III. Copolymérisation de deux nouveaux éthers allyliques époxybicycloaliphatiques

**A. R. Morales and R. E. S. Bretas** 349 Polyetherimide/poly(ether ether ketone)/liquid crystalline polymer ternary blends—I. Calorimetric studies and morphology

**A. R. Morales and R. E. S. Bretas** 365 Polyetherimide/poly(ether ether ketone)/liquid crystalline polymer ternary blends—II. Approximated interaction parameters and phase diagrams

**Güneri Akovali, Zakir M. O. Rzaev and D. G. Mamedov** 375 Plasma surface modification of polyethylene with organosilicon and organotin monomers

**Wen-Yen Chiang and Chia-Hao Hu** 385 The improvements in flame retardance and mechanical properties of polypropylene/FR blends by acrylic acid graft copolymerization

**N. I. Zhitariuk, A. Fiderkiewicz, M. Buczkowski, G. N. Kovalev, O. L. Orelovich and T. Żółtowski** 391 Tensile properties of electron irradiated track membranes

**E. H. El-Mossalamy and A. A. Khalil** 397 Synthesis and investigation of N-methylacryloyloxytetrabromophthalimide polymer complexes with some transition metal chlorides

*Short Communication*
**F. Szőcs, M. Klimová, I. Chodák and I. Chorváth** 401 EPR study of free radical decay in low density polyethylene filled with silica

**Corrigendum** 403

**Announcement** I

## NUMBER 4

**Jeong Hwan Choi, Jin Suk Chung, Ho Woo Shin, In Kyu Song and Wha Young Lee** 405 The effect of alcohol treatment in the preparation of $MgCl_2$ support by a recrystallization method on the catalytic activity and isotactic index for propylene polymerization

**H. Ismail and P. K. Freakley** 411 Determination of the modes of action of a cationic surfactant for property development in silica-filled natural rubber compounds

**D. Madheswari, K. Subramanian and A. V. Rami Reddy** 417 Synthesis and characterization of polymers with a photosensitive group

**Qipeng Guo, Jinyu Huang and Xiaoqing Li** 423 Miscibility of poly(*N*-vinyl-2-pyrrolidone) with poly(hydroxyether of phenolphthalein) and polyacrylonitrile

**A. Mas, J. Sledz et F. Schue** 427 Membranes en polyhydroxybutyrate et poly(hydroxybutyrate-*co*-hydroxyvalerate) pour la microfiltration: influence du non-solvant sur les propriétés hydrodynamiques

**A. Mas, H. Jaaba, J. Sledz et F. Schue** 435 Membranes en PHB, P(HB-*co*-9% HV), P(HB-*co*-22% HV) pour la microfiltration ou la pervaporation propriétés filtrantes et état de surface

Contents


**Cyarthur Deacon and Charles A. Wilkie** 451 Graft copolymerization of acrylic acid on to acrylonitrile–butadiene–styrene terpolymer and thermal analysis of the copolymers

**Taïeb Aouak et Alain Petit** 457 Étude de l'efficacité catalytique des systèmes Ziegler–Natta a base de carboxylate de fer(III) et de triéthylaluminium: application a la polymérisation de l'hex-1-yne

**S. Janietz and B. Schulz** 465 Electrochemical investigations on poly(arylene-1,3,4-oxadiazole)s

**A. Dasgupta** 475 Synthesis and copolymerization of *N*-tert-butyldimethylsilylacrylamide: a new acrylamide precursor

**V. Boucard, Ph. Dumas, P. Sigwalt, Ph. Guérin and A. Fadel** 481 Living stereospecific and enantioasymmetric polymerization of methylthiirane initiated by various bis(alkyl-S-cysteinato)cadmium

**Stephen W. Bigger, Peter J. Watkins, Michael A. Raymond, Serguei S. Verenich and John Scheirs** 487 Characterization of oligomeric by-products produced during the high-pressure polymerization of ethylene

**Yi-Chieh Wang, Kueir-Rarn Lee and J. Y. Lai** 493 Pervaporation of aqueous alcohol mixtures through a chemically grafted glycidyl methacrylate on to poly(4-methyl-1-pentene) membrane

**Gérard Bauduin, Bernard Boutevin, Mohamed Belbachir and Rachid Meghabar** 501 Copolymerization of glycidyl methacrylate and *N*-vinyl pyrrolidone: an example for testing a new method to determine reactivity ratios

**Jean-Claude Brosse, Emmanuelle Wattiez and Daniel Wattiez** 505 Copolymerization of acrylic oligomer with 2-hydroxyethyloxazolidone acrylate—II

**J. R. Allan, B. R. Carson and I. J. Wood** 511 The spectral and magnetic properties of the cobalt(II) and copper(II) complexes of phthalic acid and a study of their performance as colouring materials for poly(vinyl chloride) and polyethylene

**Rita Mendez, K. Usha, K. K. Mohammed Yussuf and V. N. Sivasankara Pillai** 515 Studies on metal complexes of SMH resin

**Emmanuelle Wattiez, Daniel Wattiez et Jean-Claude Brosse** 523 Étude de la copolymérisation d'oligomère acrylique avec la *N*-vinyl-2-pyrrolidone—I

**M. Briššová and E. Štaudner** 529 Behaviour of MAn-based polyelectrolytes in water solutions: influence of pH and ionic strength


## NUMBER 5


**Li Yang, Frank Heatley, Trevor G. Blease and Robert I. G. Thompson** 535 A study of the mechanism of the oxidative thermal degradation of poly(ethylene oxide) and poly(propylene oxide) using $^{1}H$- and $^{13}C$-NMR

**C. Decker, T. Nguyen Thi Viet et H. Le Xuan** 549 Photoréticulation de caoutchoucs fonctionnalisés—IV. Synthèse de caoutchoucs à groupements acrylates

**C. Decker, T. Nguyen Thi Viet et H. Le Xuan** 559 Photoréticulation de caoutchoucs fonctionnalisés—V. Polymérisation radicalaire de caoutchoucs à groupements acrylates

**M. Bankova, Ts. Petrova, N. Manolova and I. Rashkov** 569 Homopolymers of 5-chloro-8-quinolinyl acrylate and 5-chloro-8-quinolinyl methacrylate and their copolymers with acrylic and methacrylic acid

**Yeong-Soon Gal, Won-Chul Lee, Sam-Kwon Choi, Yun-Chul Kim and Bal Jung** 579 Polymerization of tripropargylamine by transition metal catalysts and molecular structure of poly(tripropargylamine)

**G. G. Cameron, M. Y. Qureshi and S. C. Tavern** 587 Blends of immiscible polymers compatibilized with block copolymer: a spin-label study

**C. Rueda-Rodriguez, C. Arias-Garcia et L. Bardet** 593 Polymérisation de l'acide silicique—III. Determination de la vitesse de polycondensation a partir d'une étude rheologique

**P. Sakellariou and K. Kapadia** 601 Diffusion of organic molecules through epoxy/acrylic copolymer films

**Madalena C. Forte and Fernanda M. B. Coutinho** 605 The influence of catalyst system and polymerization conditions on polypropylene properties

**R. R. Joshi and S. K. Gupta** 613 Synthesis, characterization, biotoxicity and antifouling study of a new organotin monomer and polymer

**J. Dietrich, P. Hirt and H. Herlinger** 617 Electron-beam-induced cyclisation to obtain C-fibre precursors from polyacrylonitrile homopolymers

**Yeong-Tarng Shieh and Samuel P. Sawan** 625 Cross-linking of hydropolysilanes for use as silicon carbide precursors

**Ernesto Pérez, Zhen Zhu, Antonio Bello, José M. Pereña and Rosario Benavente** 631 Solubility of liquid crystalline copolybibenzoates

**N. Gupta and A. K. Srivastava** 635 Ionomer IPNs formed by transition metal coordination of styrene-based polymers

**Moriyuki Sato, Tomohiro Hirata, Tomoaki Kamita and Ken-Ichi Makaida** 639 Thermotropic liquid crystalline aromatic–aliphatic polyimides—5. Preparation and properties of homo- and copoly(imide-carbonate)s based on benzophenonetetracarboxylic diimide and biphenyl units

**A. A. Khalil, H. Y. Moustafa and M. M. H. Arief** 647 Synthesis and exchange reactions of poly-N-acryloyloxytetrabromophthalimide as activated polymer

**H. Kothandaraman and M. Saroja Devi** 651 Kinetics of polymerization of 1-octene with the catalyst systems $VO(acac)_2$-$AlEt_3$ (or $AlEt_2Br$)

*Short Communications*

**Susanta Banerjee, Chhaya Saxena, Pranav K. Gutch and Dinesh C. Gupta** 661 Poly-Schiff bases—II. Synthesis and characterization of polyetherketoimines

**Deben Chen, Gaoquan Li, Yiming Mo and Fenglian Bai** 665 Studies on the room-temperature solution fluorescence quenching of polysilane copolymers by bromohydrocarbons


## NUMBER 6


**C. David, A. Daro, E. Szalai, T. Atarhouch and M. Mergeay** 669 Formation of polymeric pigments in the presence of bacteria and comparison with chemical oxidative coupling—II. Catabolism of tyrosine and hydroxyphenylacetic acid by *Alcaligenes eutrophus* CH34 and mutants

Contents


| | | |
|---|---|---|
| **Mária Omastová, Jürgen Pionteck and Stanislav Košina** | 681 | Preparation and characterization of electrically conductive polypropylene/polypyrrole composites |
| **M. Younus Qureshi and Matthias Ochel** | 691 | Synthesis and characterization of high molecular weight poly(trimethylene oxide) |
| **G. S. Srinivasa Rao, M. S. Choudhary, M. K. Naqvi and K. V. Rao** | 695 | Functionalization of isotactic polypropylene with acrylic acid in the melt: synthesis, characterization and evaluation of thermomechanical properties |
| **B. Boutevin, B. Youssef, L. Abdellah et N. M. Dinia** | 701 | Synthèse et propriétés de polysiloxanes photoréticulables—IV. Polysiloxanes à greffons perfluorés et à greffons uréthanes vinyliques |
| **T. Aouak et A. Petit** | 709 | Polymérisation des alcynes terminaux siliciés par un système amorceur constitué de carboxylate de Fe(III) et de triéthylaluminium: synthèse et caractérisation |
| **Marian A. Gómez, Carlos Marco, José M. Gómez Fatou, Gabino A. Carriedo, Francisco J. García Alonso and Paloma Gómez Elipe** | 717 | Thermal behaviour and structure of cyanophenoxy copolymers of poly(bis-phenoxyphosphazene) |
| **P. Lauque, H. Carchano et C. Jacolin** | 725 | Polymérisation par plasma froid d'un revêtement sur la surface interne de cathéters |
| **Z. He, F. J. Davis and G. R. Mitchell** | 735 | Influence of side-chain bearing units on the phase behaviour of a series of copoly(ester ether)s |
| **R. Endršt, V. Švorčík, V. Rybka and V. Hnatowicz** | 747 | Modification of polyethyleneterephthalate surface by the implantation of $Sb^+$ ions |
| **Bernard Guyot et Bernard Boutevin** | 751 | Détermination des coefficients d'Alfrey et Price de monomères acryliques fluorés et du méthacrylate de morpholinoéthyle |
| **Sixun Zheng, Jinyu Huang, Wanyu Liu, Xiaotian Yang and Qipeng Guo** | 757 | Miscibility and phase behaviour in blends of poly(vinyl alcohol) and a copolyamide |
| **N. Pelaprat, C. Brondino, G. Rigal et B. Boutevin** | 761 | Synthèse d'alkylphosphonates à longues chaines hydrocarbonées, modifications chimiques et applications—II. Addition de $HP(O)(OEt)_2$ sur les alcènes et phosphonation directe d'halogénures d'alkyles |
| **V. A. Kotelnikov, I. E. Persits, N. N. Surin, L. B. Danilevskaya, H. Sekiguchi and Ch. Bui** | 767 | Catalytic esterification of polyoxypropylene glycols applied in reaction injection moulding block copolyamide synthesis |
| **Michel Moreau, Michèle Masure and Pierre Sigwalt** | 773 | Influence of ring size on monomer reactivities in cationic polymerization of cyclodimethylsiloxanes: comparison of $D_5$, $D_6$ and $D_7$ |
| **Alice Mija, C. N. Caşcaval, Gh. Stoica, D. Roşu and B. C. Simionescu** | 779 | Synthesis and characterization of some epoxy resins bearing azomethine groups |
| **Maarten J. Krupers, Fred J. van der Gaag and Jan Feijen** | 785 | Complexation of poly(ethylene oxide) with poly(acrylic acid–co-hydroxyethyl methacrylate)s |
| **Dietrich Braun, Michael Fischer and Anna Kozera** | 791 | Bigraft terpolymers with polybutadiene backbone and styrene as well as methyl methacrylate grafts |
| *Short Communication* | | |
| **Xiaoguang Sun, Yunqing Lin and Xiabin Jing** | 801 | Ionic conductivity of gel electrolyte based on polydiethylene glycol dimethacrylate and its copolymer |

## NUMBER 7


**Neil A. Weir, Jerzy Arct and Alfredo Ceccarelli** 805 Long-wave photodegradation of poly(3,5-dimethoxyacrylophenone) in the solid state

**M. R. Ribeiro, A. Deffieux, M. Fontanille and M. F. Portela** 811 Kinetic investigation of parameters governing the high-temperature polymerization of ethylene initiated by supported $VCl_3$ catalytic systems

**B. Boutevin, J.-J. Robin, B. Boyer, J.-P. Roque et O. Senhaji** 821 Étude comparative de la réaction de polymérisation en solution de monomères tensioactifs méthacryliques

**T. Sato, Y. Nakagawa, T. Kawachi and M. Seno** 827 Radical polymerization of 3,3-dicyanopropyl vinyl ether via an addition–abstraction mechanism

**C. Hamciuc, E. Hamciuc, M. Bruma and N. M. Belomoina** 837 Polybenzoxazinones and poly(benzoxazinone-phenylquinoxaline)s containing pendant imide groups

**A. J. Hill, S. Weinhold, G. M. Stack and M. R. Tant** 843 Effect of copolymer composition on free volume and gas permeability in poly(ethylene terephthalate)–poly(1,4 cyclohexylenedimethylene terephthalate) copolyesters

**Gabriela Grigorescu, Silvia Ioan and Bogdan C. Simionescu** 851 Correlation between preferential and total adsorption coefficients and the second virial coefficient for 1-chlorobutane/2-butanol/poly(methyl methacrylate) system

**J. Simitzis, K. Karagiannis and L. Zoumpoulakis** 857 Influence of biomass on the curing of novolac-composites

**Qian Xiang and Hong-Quan Xie** 865 Preparation and characterization of alkali soluble polyacrylamide-g-polyaniline

**R. Scaffaro, U. Pedretti and F. P. La Mantia** 869 Effects of filler type and mixing method on the physical properties of a reinforced semirigid liquid crystal polymer

**Yoshinori Yoshida, Kenya Makino, Tetsuo Ito, Yoshitaka Yamakawa and Toshio Hayashi** 877 Physical and biodegradation properties of A–B–A type block copolymer membranes consisting of poly(*N*-hydroxyalkyl-L-glutamine) as the A component and polybutadiene as the B component

**Jianfei Liu, Zhiquan Shen and Junquan Sun** 883 Polymerization of methyl methacrylate with a homogeneous neodymium catalyst: $Nd(naph)_3$–BuLi

**Virgilio A. González et Ernesto López de Rivera** 887 Simulation conformationnelle du polyméthylène en considerant 360 degres de liberté sur le cone de valence

**A. Ferrando, G. Goffredi, P. L. Cantini and E. Bencini** 899 Identification of *cis*- and *trans*-1-phenyl-2-cyanocyclobutane in the thermal copolymerization of styrene and acrylonitrile

**P. A. A. P. Mamza and F. M. Folaranmi** 909 Compatibility studies on solution of polystyrene and polyvinyl acetate blend by density and viscometric methods

**C. del Río and J. L. Acosta** 913 Determination of the interaction parameter of partially or totally compatible systems through glass transition temperature measurements

## NUMBER 8


**A. V. Rami Reddy, K. Subramanian, V. Krishnasamy and J. Ravichandran** 919 Synthesis, characterization and properties of novel polymers containing pendant photocrosslinkable chalcone moiety

**Elvan Yilmaz, Osman Yilmaz and Hamit Caner** 927 Miscibility studies on polystyrene/poly(ethylene oxide) and polybutadiene-*graft*-polystyrene/poly(ethylene oxide) blends by dilute solution viscometry

**Steffi Reinhardt, Volker Steinert and Kirsten Werner** 935 Investigations on the dissociation behaviour of hydrolyzed alternating copolymers of maleic anhydride and propene—I. Potentiometric titrations

**Steffi Reinhardt, Volker Steinert and Kirsten Werner** 939 Investigations on the dissociation behaviour of hydrolyzed alternating copolymers of maleic anhydride and propene—II. Viscometric behaviour

**Graeme K. Pullen, Norman S. Allen, Michele Edge, Iain Weddell, Ron Swart, Ferando Catalina and S. Navaratnam** 943 Anthraquinone photoinitiators for free radical polymerisation: Structure dependence on photopolymerisation activity

**Do Thi Bich Loan and Ivan M. Panayotov** 957 Oligoamidoamines and oligoesteramines based on antibiotics containing $\beta$-lactam ring

**Hao Tang, Xinfang Chen and Yunxia Luo** 963 Electrical and dynamic mechanical behavior of carbon black filled polymer composites

**Young-Do Jo, Kyo-Shik Park, Jou-Hyeon Ahn and Son-Ki Ihm** 967 Hollow gelular beads of styrene–divinylbenzene copolymer prepared by suspension polymerization

**Gaurab Das and A. N. Banerjee** 973 Solvent-induced crystallisation of compatible poly(styrene-*co*-acrylonitrile) and poly(vinyl chloride-*co*-vinyl acetate) blends

**E. M. Gutman and A. L. Bobovitch** 979 Mechanical stimulation of pentabromobenzyl acrylate polymerization on $Mg(OH)_2$

**Hala F. Naguib, Fakhreia A. Al Sagheer, Ahmed A. M. Ali and Maher Z. Elsabee** 985 Polymerization behaviour of a new vinyl thiourea derivative

**S. Ramesh and Ganga Radhakrishnan** 993 Polyurethane zwitterionomers using 2,3-dihydroxypyridine

**D. Ramkumar, U. R. Vaidya, M. Bhattacharya, M. Hakkarainen, A. C. Albertsson and S. Karlsson** 999 Properties of injection moulded starch/synthetic polymer blends—I. Effect of processing parameters on physical properties

**Yuichi Tokita and Akio Okamoto** 1011 Degradation of hyaluronic acid—kinetic study and thermodynamics

**Premamoy Ghosh, Bibha Chattopadhyay and Achintya K. Sen** 1015 Thermal and oxidative degradation of PE–EPDM blends vulcanized differently using sulfur accelerator systems

**V. N. Kislenko and Ad. A. Berlin** 1023 Kinetics of interaction between water-soluble derivatives of lignin and hydrogen peroxide

**Song Zhengzhe and Xu Jiping** 1031 Synthesis and characterization of copolymers of dialkyl fumarates

*Short Communication*
**Tadeusz Czerniawski and Zbigniew Wojtczak** 1035 Determination of the initiation rate in the polymerization of zinc, cobalt and nickel acrylates

## NUMBER 9


| | | |
|---|---|---|
| **S. Demoustier-Champagne, J. Marchand-Brynaert and J. Devaux** | 1037 | Synthesis and characterization of $\alpha,\omega$-dichloro-polymethylphenylsilane |
| **M. Ulbricht and A. Oechel** | 1045 | Photo-bromination and photo-induced graft polymerization as a two-step approach for surface modification of polyacrylonitrile ultrafiltration membranes |
| **C. A. Barson, J. C. Bevington and B. J. Hunt** | 1055 | Efficacy of precipitation in non-solvents for the recovery of pure polymers from solution |
| **A. M. Robinson, B. Haworth and A. W. Birley** | 1061 | Elongational rheometry of polyethylene terephthalate/bisphenol-A polycarbonate blends |
| **Cristina-Doina Vlad, Ig. Poinescu and Elena Costea** | 1067 | Comments on the porous structure of poly(methyl methacrylate esters) networks |
| **S. Balasubramanian and B. S. R. Reddy** | 1073 | 5-Indanyl acrylate monomer: Synthesis, characterization and copolymerization with glycidyl methacrylate |
| **Akikazu Matsumoto, Yoshinori Sano, Masahiro Yoshioka and Takayuki Otsu** | 1079 | Radical polymerization of dicyclohexyl fumarate and its derivatives as studied by electron spin resonance spectroscopy |
| **Ferenc Szőcs and Marta Klimová** | 1087 | Fatigue-effect on free radical decay in irradiated polymethyl methacrylate |
| **F. Iayadene, H. Guettaf, Z. Bencheikh, A. Saggou and I. Rabia** | 1091 | 2-Ethyl-1-hexanol and *n*-heptane diluents mixture effect on textural characteristics of porous styrene–divinylbenzene copolymer beads |
| **Alberto Bolognesi, William Porzio, Geng Zhuo and Tiberio Ezquerra** | 1097 | The thermal behaviour of poly(3-octylthienylene) synthesized by an Ni-based catalyst: DSC, optical microscopy and XRD analyses |
| **A. I. Aigbodion and F. E. Okieimen** | 1105 | Kinetics of the preparation of rubber seed oil alkyds |
| **U. Sedlack and E. Nordmeier** | 1109 | Adsorption phenomena of dextran in the mixed solvent $H_2O$/dioxane |
| **T. M. Aminabhavi, H. T. S. Phayde, J. D. Ortego and J. M. Vergnaud** | 1117 | Sorption/diffusion of aliphatic esters into tetra-fluoroethylene/propylene copolymeric membranes in the temperature interval from 25 to 70°C |
| **A. Linares and J. L. Acosta** | 1127 | Pyro-piezoelectric polymer materials—II. Spherulitic growth of PVDF in the presence of PMMA and/or PVA |
| **Hong-Quan Xie, Cheng-Mei Liu and Jun-Shi Guo** | 1131 | Further study of the preparation and properties of poly(thienylene vinylene) via an organic-soluble precursor polymer |
| **Long-Gui Tang, Zhi-Xue Weng and Zu-Ren Pan** | 1139 | Kinetic studies on emulsion copolymerization of vinyl acetate and acrylics in the batch process |
| **Zhou Qing-ye, Zhang Bang-hua, Song Mou-dao and He Bing-lin** | 1145 | Compatibilizing effect of poly(hydrogenated butadiene-methyl methacrylate) copolymer for PVC/LLDPE blends |
| **M. V. Encinas, E. A. Lissi and C. Martinez** | 1151 | Polymerization of 2-hydroxyethyl methacrylate induced by azo compounds: Solvent effects |

F. R. Díaz, A. Godoy, L. H. Tagle, N. Valdebenito and J. C. Bernede — 1155 Poly(*p*-phenylene-diselenocarbonate) and poly(*p*-phenylene-diselenothiocarbonate): New semiconducting polymers

P. M. Nedorezova, N. M. Galashina, V. I. Tsvetkova, T. A. Sukhova, S. L. Saratovskikh, O. N. Babkina and F. S. Dyachkovskii — 1161 Isospecific polymerization of α-olefins in the presence of metallocomplex catalysts fixed on graphite

*Short Communication*
A. V. Shyichuk — 1167 A way to gel-point determination

## NUMBER 10

S. Poser, M. Arnold and H. Fischer — 1169 Liquid crystalline side group block copolymers with a uniform polymer backbone

C. Jaimes, J. Couve, S. Crette, J. Sledz and F. Schue — 1175 Polymerization of (*R*,*S*)-β-butyrolactone from tetraisobutyldialuminoxane (TIBAO) catalyst

E. Favre — 1183 Swelling of crosslinked polydimethylsiloxane networks by pure solvents: Influence of temperature

N. Pelaprat, G. Rigal, B. Boutevin, A. Manseri et M. Belbachir — 1189 Addition d'alkylmercaptans sur le vinyl et l'allylphosphonate de diéthyle et modifications chimiques

L. Dammak, C. Larchet, B. Auclair, V. V. Nikonenko and V. I. Zabolotsky — 1199 From the multi-ionic to the bi-ionic potential

M. Ghaemy and M. H. Riahy — 1207 Kinetics of anhydride and polyamide curing of bisphenol A-based diglycidyl ether using DSC

Yu. D. Semchikov, L. A. Smirnova, N. A. Kopylova and V. V. Izvolenskii — 1213 The effect of monomer preferential solvation in radical copolymerization: Reactivity ratios and compositional distribution

Hao Tang, Lisong Dong, Jin Zhang, Menxian Ding and Zhiliu Feng — 1221 Study on the β relaxation mechanism of thermosetting polyimide/thermoplastic polyimide blends

S. Bastida, J. I. Eguiazábal and J. Nazábal Etxeberria — 1229 Phase and mechanical characterization of poly(ether imide)/polyarylate injection moulded blends

Adrian A. Caraculacu, Ioan Agherghinei, Paul Baron, Georgeta Caraculacu and Sergiu Coseri — 1235 Dibenzylic structures on macromolecular chain: IX. The interaction of urethane–isocyanate groups in polyurethane formation

Kuruvilla Joseph, Siby Varghese, G. Kalaprasad, Sabu Thomas, L. Prasannakumari, Peter Koshy and C. Pavithran — 1243 Influence of interfacial adhesion on the mechanical properties and fracture behaviour of short sisal fibre reinforced polymer composites

## NUMBER 11

Rastislav Broska, Jozef Rychlý and Lydia Matisová-Rychlá — 1251 Chemiluminescence from tetramethyldioxetane in poly(methyl methacrylate) and polystyrene

K. Miyata, K. Muraoka, T. Itaya, T. Tanigaki and K. Inoue — 1257 Synthesis and thermal properties of polyesters from cyclotriphosphazene

Contents


| | | |
|---|---|---|
| **Tian-Ming Chen, Yan-Feng Wang, Tetsuya Sakaguchi, Yu-Jun Li, Masaya Kitamura, Tadao Nakaya and Ikuko Sakurai** | 1263 | Synthesis and properties of a new poly(acrylamide) containing phosphatidylcholine analogues and cholesterol groups in side chains |
| **Christel Méalares and Alessandro Gandini** | 1269 | Conjugated polymers bearing furan rings—II. Improvement of the processability of poly(2,5-furylene vinylene) by physical and chemical means |
| **G. Fontana, F. Minto, M. Gleria, G. Facchin, R. Bertani and G. Favero** | 1273 | Functionalization of poly(organophosphazenes)—V. Modification of the physico-chemical properties of poly[bis(4-methylphenoxy)phosphazene] through functionalization with anhydride groups |
| **Shui-Yu Lu, R. Michael Paton, Michael J. Green and Andrew R. Lucy** | 1285 | Synthesis and characterization of polyketoximes derived from alkene–carbon monoxide copolymers |
| **G. J. Price and A. M. Patel** | 1289 | The application of ultrasound to the synthesis of poly(organosilanes) |
| **F. Cataldo** | 1297 | Iodine: A ring opening polymerization catalyst for tetrahydrofuran |
| **L. Gargallo, F. Martínez-Piña, A. Leiva and D. Radić** | 1303 | Polymethacrylates containing indanyl groups—I. Poly(5-indanyl methacrylate). Synthesis, conformational and viscometric behaviour in dilute solution |
| **H. Ragossnig, R. Saf and K. Hummel** | 1307 | Synthesis and characterization of polyradicals with a polyimine backbone and nitronyl nitroxide side groups |
| **Yuesheng Li, Mengxian Ding and Jiping Xu** | 1313 | Structure/permeability and permselectivity relationship of polyetherimides from 1,4-bis(3,4-dicarboxyphenoxy) benzene dianhydride. II |
| **C. Decker, T. Nguyen Thi Viet et H. Le Xuan** | 1319 | Photoréticulation de caoutchoucs fonctionnalisés—VI. Polymérisation cationique de caoutchoucs époxydés |
| **Jin-San Yoon, Han-Sung Yoo and Kyung-Seock Kang** | 1333 | Solubility of α-olefins in linear low density polyethylenes |
| **M. Rogošić, H. J. Mencer and Z. Gomzi** | 1337 | Polydispersity index and molecular weight distributions of polymers |
| **I. Śledzińska, E. Białecka-Florjańczyk and A. Orzeszko** | 1345 | Synthesis and liquid crystalline properties of cholesteryl bisesterimides with poly(ethylene oxide)s as central spacers |
| **B. Žerjal, Ž. Jelčić and T. Malavašič** | 1351 | Miscibility in thermoplastic polyurethane elastomer/poly(styrene-co-acrylonitrile) blends |


## NUMBER 12


| | | |
|---|---|---|
| **Y. M. B. De Almeida, L. C. M. Carrera and M. J. M. Abadie** | 1355 | Photopolymerization of multifunctional acrylates (MAM) using *trans*-10,11-dibromodibenzosuberone as a radical photoinitiator |
| **G. M. Day, W. R. Jackson and G. P. Simon** | 1361 | Dielectric relaxation spectra of two side chain liquid crystalline homopolymers and their copolymers |

Contents


| | | |
|---|---|---|
| **Li Kuang, Qixian Wu, Zili Yu and Yongrong Chen** | 1371 | Study on the synthesis and property differences of two kinds of terminated poly(phenylene sulfide) oligomers |
| **Der-Jang Liaw and Shiuh-Ping Lin** | 1377 | Phosphorus-containing polyurethanes based on bisphenol-S, prepared by *N*-alkylation |
| **Jin-Heong Yim, Kyung-Jun Chu, Kyung-Woo Choi and Son-Ki Ihm** | 1381 | Syndiospecific polymerization of styrene over silica supported $CpTiCl_3$ catalysts |
| **I. H. Do, L. K. Yoon, B. K. Kim and H. M. Jeong** | 1387 | Effect of viscosity ratio and peroxide/coagent treatment in PP/EPR/PE ternary blends |
| **J. Travas-Sejdic, J. Jelencic, M. Bravar and Z. Fröbe** | 1395 | Characterization of the natural rubber vulcanizates obtained by different accelerators |
| **Shih-Hsiung Chen, Mei-Hsiu Lee and Juin-Yih Lai** | 1403 | Polysiloxaneimide membranes: Gas transport properties |
| **Qipeng Guo** | 1409 | Completely miscible ternary blends—III. Poly(vinylidene fluoride)–poly(methyl methacrylate)–poly(vinyl acetate) |
| **P. Radhakrishnan Nair, C. P. Reghunadhan Nair and D. J. Francis** | 1415 | Phosphazene-modified polyurethanes: Synthesis, mechanical and thermal characteristics |
| **Zhang Linxi and Xia Agen** | 1421 | Effect of branch points on the dynamics of polymer chains |
| **J. O. Iroh and J. P. Berry** | 1425 | Mechanical properties of nucleated polypropylene and short glass fiber–polypropylene composites |
| **Lissy Jose and V. N. Rajasekharan Pillai** | 1431 | Catalase-like activity of divinylbenzene (DVB)-crosslinked polyacrylamide supported amino metal complexes |
| **H. J. Haitjema, R. Buruma, G. O. R. Alberda van Ekenstein, Y. Y. Tan and G. Challa** | 1437 | New photoresponsive (meth)acrylate (co)polymers containing azobenzene pendant sidegroups with carboxylic and dimethylamino substituents—I. Synthesis and characterization of the monomers |
| **H. J. Haitjema, R. Buruma, G. O. R. Alberda van Ekenstein, Y. Y. Tan and G. Challa** | 1447 | New photoresponsive (meth)acrylate (co)polymers containing azobenzene pendant sidegroups with carboxylic and dimethylamino substituents—II. Synthesis and characterization of polymers and copolymers |
| **F. E. Okieimen and C. E. Sogbaike** | 1457 | Stabilising effect of derivatives of Jatropha seed oil on the thermal degradation of poly(vinyl chloride) |
| **Bernard Boutevin et Abderrahim El Bachiri** | 1463 | Copolymérisation des éthers allyliques à extrémité époxyde avec des monomères porteurs de groupes accepteurs d'electrons—II. Copolymérisation de l'éther 3,4-époxycyclohexyl méthylallylique avec les maléimides |
| | I | Announcement |